


Product information


Material: Stainless Steel 316, ASTM A351
 Threads: BSP ISO 7/1
 Conforming Standards: Meets or exceeds ISO 4144

SSP34 - Elbow 90 °




Size	A	B
1/8	17	14.5
1/4	19	17.5
3/8	23	20
1/2	27	26
3/4	31.5	31.5
1	36.5	39
1 1/4	42.5	47.5
1 1/2	47.5	54
2	56	67
2 1/2	68	83
3	77.5	97
4	93	123

SSP25 - Street Elbow 90 ° F/M




Size	A	B	D1	D2
1/8	17	24	14.5	8.7
1/4	20	28	17.5	11.6
3/8	23	32	20	15
1/2	28	37	27	18.2
3/4	32	43	32	23.2
1	38	52	39	30.7
1 1/4	43	57	48	38.8
1 1/2	48	62	54	44.6
2	57	74	67	55.7
2 1/2	68	85	83	72.6
3	78	98	97	83.6
4	97	118	123	108.5

SSP34-45 - Elbow 45 °




Size	A	D
1/8	17	14.5
1/4	17	17.5
3/8	19	20
1/2	21	26
3/4	25	31.5
1	29	39
1 1/4	33	47.5
1 1/2	37	54
2	42	67
2 1/2	50	83
3	54	97
4	65	123

SSP35 - Tee Banded




Size	A	D
1/8	17	14.5
1/4	19	17.5
3/8	23	20
1/2	27	26
3/4	31.5	31.5
1	36.5	39
1 1/4	42.5	47.5
1 1/2	47.5	54
2	56	67
2 1/2	68	83
3	77.5	97
4	93	123

SSP35 - Reducing Tee




Size	A	D	D1	D2
3/8*1/4	20	22	20	17.5
1/2*1/4	22	25	26	17.5
1/2*3/8	24	26	26	20
3/4*3/8	26	28	31.5	20
3/4*1/2	29	30	31.5	26
1*1/2	32	34	39	26
1*3/4	34	36	39	31.5
1-1/2*3/4	38	43	54	31.5
2*3/4	38	49	67	31.5
2*1	42	51	67	39
2*1-1/2	42	55	67	54

SSP37 - Cross Banded




Size	A	D
1/8	17	14.5
1/4	19	17.5
3/8	23	20
1/2	27	26
3/4	31.5	31.5
1	36.5	39
1-1/4	42.5	47.5
1-1/2	47.5	54
2	56	67
2-1/2	68	83
3	77.5	97
4	93	123

SSP73 - Hexagon Nipple




Size	SW	L
1/8	13	28
1/4	14	30
3/8	17.5	35
1/2	22	38
3/4	27.5	43
1	34.5	48
1-1/4	43.5	54
1-1/2	49	56
2	61	64
2-1/2	77	72
3	91	78
4	116	86

SSP73 - Reducing Hexagon Nipple




Size	SW	L	Size	SW	L
1/4*1/8	14	29	1-1/4*3/4	43.5	50
3/8*1/8	17.5	31	1-1/4*1	43.5	52
3/8*1/4	17.5	32	1-1/2*1/2	49	49
1/2*1/8	22	34	1-1/2*3/4	49	51
1/2*1/4	22	35	1-1/2*1	49	53
1/2*3/8	22	36	1-1/2*1-1/4	49	55
3/4*1/4	27.5	38	2*1	61	58
3/4*3/8	27.5	39	2*1-1/4	61	60
3/4*1/2	27.5	41	2*1-1/2	61	61
1*1/4	34.5	42	2-1/2*1-1/2	77	65
1*3/8	34.5	43	2-1/2*2	77	69
1*1/2	34.5	45	3*2	91	72
1*3/4	34.5	47	3*2-1/2	91	75
1-1/4*1/2	43.5	48	4*3	116	82

SSMT - Hose Nipple




Size	SW	D	H	L
3/8	17.5	9.7	7	46
1/2	22	12.7	8	56
3/4	27.5	19.1	9	64
1	34.5	25.4	11	71
1-1/4	43.5	31.8	12	80
1-1/2	49	38.1	12	89
2	61	50.8	13	97
2-1/2	77	63.5	14	103
3	91	76.2	14	111
4	116	101.6	14	130

SSP73T - Welding Nipple




Size	A	B	L
1/8	6	10.5	30
1/4	9	13.5	30
3/8	12	17.2	40
1/2	15.5	21.3	60
3/4	21	26.9	60
1	27.5	33.7	60
1-1/4	36	42.4	80
1-1/2	41.5	48.3	80
2	53	60.3	100
2-1/2	68	76	100
3	80	89	120
4	105	114.5	120

SSP73B - Barrel Nipple




Size	A	B	L
1/8	6	10.5	30
1/4	9	13.5	30
3/8	12	17.2	40
1/2	15.5	21.3	60
3/4	21	26.9	60
1	27.5	33.7	60
1 1/4	36	42.4	80
1 1/2	41.5	48.3	80
2	53	60.3	100
2 1/2	68	76	100
3	80	89	120
4	105	114.5	120

SSP74 - Hexagon Nut




Size	SW	L
1/8	19	6
1/4	22	7
3/8	27	8
1/2	32	10
3/4	36	10
1	45	10
1 1/4	55	11
1 1/2	60	12
2	75	13
2 1/2	95	16
3	105	19
4	135	22

SSP-56 - Hexagon Cap




Size	SW	H
1/8	12.8	15
1/4	15.5	15
3/8	18.2	16
1/2	24.3	20
3/4	29.3	22
1	36.8	26
1 1/4	45.5	28
1 1/2	51	32
2	64	34
2 1/2	79.6	39
3	93.4	42
4	119.5	44

SSP64 - Hexagon




Size	SW	D	H
1/8	13	6	16
1/4	14	9	18
3/8	17.5	12	19
1/2	22	15.5	22
3/4	27.5	21	25
1	34.5	27.5	27
1 1/4	43.5	36	30
1 1/2	49	41.5	31
2	61	53	35
2 1/2	77	68	39
3	91	80	43
4	116	105	48

SSP26 - Socket Machined




Size	D	L
1/8	13.5	16
1/4	17.5	22
3/8	21	23
1/2	26	30
3/4	31.5	33
1	39	39
1 1/4	48	43
1 1/2	54	45
2	66	52
2 1/2	83	61
3	96	67
4	121	79

SSP26H - Socket Half Machined





Size	D	L
1/8	13.5	11
1/4	17.5	15
3/8	21	16
1/2	26	20
3/4	31.5	21
1	39	25
1 1/4	48	28
1 1/2	54	28
2	66	31
2 1/2	83	36
3	96	39
4	121	45

SSP26 - Reducing Socket Banded




Size	A	D1	D2	Size	A	D1	D2
1/4*1/8	26	17.5	14.5	1-1/2*3/4	46	54	31.5
3/8*1/8	28	20	14.5	1-1/2*1	47	54	39
3/8*1/4	30	20	17.5	1-1/2*1-1/4	49	54	47.5
1/2*1/4	32	26	17.5	2*1	47	67	39
1/2*3/8	32	26	20	2*1-1/4	49	67	47.5
3/4*3/8	36	31.5	20	2*1-1/2	50	67	54
3/4*1/2	38	31.5	26	2-1/2*1-1/2	57	83	54
1*1/2	41	39	26	2-1/2*2	60	83	67
1*3/4	42	39	31.5	3*2	63	97	67
1-1/4*1/2	43	47.5	26	3*2-1/2	69	97	83
1-1/4*3/4	44	47.5	31.5	4*3	73	123	97
1-1/4*1	45	47.5	39				

SSP87 - Union Concial Joint F/M




Size	SW1	SW2	SW3	L
1/8	14	26	14	34.5
1/4	18	31	18	40.5
3/8	22	34	22	44.5
1/2	26	38	26	49.5
3/4	31	48	31	55.5
1	38	54	38	62.5
1 1/4	48	66	48	67.5
1 1/2	54	72	54	76.5
2	66	89	66	81.5
2 1/2	82	108	82	101.5
3	95	121	95	110.5
4	121	148	121	118.5

SSP85 - Union Concial Joint F/F




Size	SW1	SW2	SW3	L
1/8	14	26	14	25
1/4	18	31	18	29
3/8	22	34	22	32
1/2	26	38	26	35
3/4	31	48	31	39
1	38	54	38	44
1 1/4	48	66	48	47
1 1/2	54	72	54	55
2	66	89	66	56
2 1/2	82	108	82	73
3	95	121	95	79
4	121	148	121	83

Square Plug



Size	SW	L
1/8	7	13.5
1/4	8	17
3/8	10	18
1/2	11	22
3/4	17	23.5
1	19	27
1-1/4	22	29
1-1/2	22	30
2	27	36
2-1/2	32	39
3	36	44
4	41	58

SSP24 - Hexagon Bushing



Size	SW	H
1/4*1/8	14	19
3/8*1/8	17.5	21
3/8*1/4	17.5	21
1/2*1/8	22	24
1/2*1/4	22	24
1/2*3/8	22	24
3/4*1/8	27.5	26
3/4*1/4	27.5	26
3/4*3/8	27.5	26
3/4*1/2	27.5	26
1*1/8	34.5	27
1*1/4	34.5	27
1*3/8	34.5	27
1*1/2	34.5	27
1*3/4	34.5	27

Size	SW	H	Size	SW	H	Size	SW	H
1-1/4*1/8			2*3/8	61	35	3*1-1/4	91	44
1-1/4*1/4	43.5	30	2*1/2	61	35	3*1-1/2	91	44
1-1/4*3/8	43.5	30	2*3/4	61	35	3*2	91	44
1-1/4*1/2	43.5	30	2*1	61	35	3*2-1/2	91	44
1-1/4*3/4	43.5	30	2*1-1/4	61	35	4*1-1/4		
1-1/4*1	43.5	30	2*1-1/2	61	35	4*2	116	48
1-1/2*1/8			2-1/2*1/2			4*2-1/2	116	48
1-1/2*1/4	49	31	2-1/2*3/4	77	41	4*3	116	48
1-1/2*3/8	49	31	2-1/2*1	77	41			
1-1/2*1/2	49	31	2-1/2*1-1/4	77	41			
1-1/2*3/4	49	31	2-1/2*1-1/2	77	41			
1-1/2*1	49	31	2-1/2*2					
2*1/8			3*1/2	91	44			
2*1/4	61	35	3*1	91	44			